

Section 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:	Expra Odourless Aerosol
Uses:	Household insecticide aerosol for automatic dispensers
Company:	STM Group NZ Ltd
Address:	16 Parkhead Place
	Albany, Auckland, New Zealand
Telephone:	+64 9 914 9400
Email:	info@stmgroup.co.nz
Emergency Number:	0800 764 766 (0800 POISON)
National Poison Centre:	0800 764 766 (0800 POISON)

Section 2 – HAZARDS IDENTIFICATION

Classification of the product

Considered a hazardous substance according to the Hazardous Substance (Minimum Degrees of Hazard) Regulations NZ.

HSNO Classifications:

Flammable aerosol
Respiratory sensitisers
Contact sensitisers
Very ecotoxic in the aquatic environment (All, crustacean, fish)
Very ecotoxic to terrestrial invertebrates



Signal Words: Danger

Hazard Statements

H222	Extremely flammable aerosol.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
H441	Very toxic to terrestrial invertebrates.

Section 3 – COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS No.	Proportion, % m/m
Naphtha (petroleum), hydrotreated heavy	64742-48-9	10 - 30
Tetramethrin	7696-12-0	< 1
d-Phenothrin	26002-80-2	< 1
Permethrin	52645-53-1	< 1
Hydrocarbon propellant (LPG - Propane, Butane)	68476-85-7	> 60
Other ingredients determined to not be hazardous	-	to 100%



If medical advice is needed, have product container or label at hand.

If exposed or if you feel unwell: Call a POISON CENTRE or doctor.

Eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Inhalation:	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.
Ingestion:	IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention.
Skin contact:	Direct contact may cause irritation in sensitive individuals. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.
Notes to physician:	Treat symptomatically and supportively. No specific antidote.
Section 5 – FIRE-FIGHTI	NG MEASURES
Specific hazards:	Containers can build up pressure if exposed to heat and/or fire and may explode. Vapours may form an explosive mixture with air. Vapours can travel to a source of ignition and flash back. May float and be re-ignited on surface water. Will burn if involved in a fire.
Further advice:	On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion. Use water spray to keep fire-exposed containers cool.
Extinguishing media:	For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam.
	For large fires, use water spray, fog, or foam. Use water spray to cool fire-exposed containers. Water may be ineffective. Do not discharge extinguishing waters into the aquatic environment.
	Do NOT use straight streams of water.
Hazchem Code:	2YE
Section 6 – ACCIDENTA	L RELEASE MEASURES
Minor spills:	Clean up immediately. Remove all sources of ignition. If safe, damaged cans should be placed in a container outdoors, away from all ignition sources, until pressure has dissipated. Undamaged cans should be gathered and stowed safely. Provide ventilation. Wash with water.
Major spills:	Evacuate the spill area. Call the Fire Brigade. Remove all sources of ignition. If safe to do so, prevent spillage from entering drains or water courses. If material enters drains, advise emergency services. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers for disposal. Wash area down with excess water.
Section 7 – HANDLING	AND STORAGE
Handling Precautions:	Read product label before use. Keep out of reach of children. This product is highly flammable. Keep away from heat and open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Use outdoors or in well-ventilated area. Avoid breathing spray. Wash hands with soap and water after handling.

Storage:Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Store in a well ventilated,
cool, dry place. Keep away from heat, sparks, and flame. Store locked up.



Section 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:	No value assigned for product. Exposure standards for constituents (NZ WES);		
	Material	TWA, mg/m ³	STEL, mg/m ³
	Naphtha, hydrotreated heavy (supplier)	1200	-
	LPG (Liquefied petroleum gas – butane, propane)	1800	-
Additional Information:	Wash hands before eating, drinking and smoking.		
Engineering Controls:	No controls required when handling small quantities. Use with adequate ventilation.		ilation.
	Larger quantities: General exhaust is adequate under n equipment should be explosion-resistant.	ormal operating condit	ions. Ventilation
Protective Equipment:	In an industrial environment: gloves, safety glasses or c contaminated clothing before reuse. Contaminated wo workplace.	0 00	
	In case of inadequate ventilation wear respiratory prote approved respirator with a type A filter.	ection. If TWA is exceed	led, wear an

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Transparent volatile liquid.
pH:	Not applicable.
Vapour Density:	> 1 (Air =1)
Vapour Pressure, kPa:	300 - 600
Boiling Point, °C:	Not applicable.
Melting Point, °C:	Not applicable.
Specific Gravity:	Not applicable.
Flash Point, °C:	< 0
Explosion Limit, % v/v:	LEL 1.2% UEL 9.5%
Autoignition Temp, °C:	Not applicable.
Solubility:	Not soluble in water. Soluble in common organic solvents.

Section 10 – STABILITY AND REACTIVITY

Stability:

Stable under normal conditions of use. Not reactive. Avoid oxidisers. Avoid elevated temperatures.

Section 11 – TOXICOLOGICAL INFORMATION

Basis for Assessment:	Information given is based on product testing, and/or similar products, and/or components.
Acute Oral Toxicity:	Low toxicity: LD50 calculated to be > 5000 mg/kg, Rat. May be harmful if swallowed.
Acute Dermal Toxicity:	Low toxicity: LD50 estimated to be >5000 mg/kg, Rabbit.
Acute Inhalation Toxicity:	High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea.
Skin Irritation:	May cause mild skin irritation. Prolonged/repeated contact may cause defatting of the skin which can lead to dermatitis.
Eye Irritation:	Vapours may be irritating to the eye.
Respiratory Irritation:	Inhalation of vapours or mists may cause irritation to the respiratory system.
Sensitisation:	Contact and respiratory sensitiser.



Repeated Dose Toxicity:

	organs. Prolonged contact with product may result in irritant contact dermatitis.
Additional Information:	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.
Section 12 – ECOTOXICITY	INFORMATION
Ecotoxicity:	Very toxic in aquatic environments. Very toxic to bees, fish and aquatic invertebrates.
Mobility:	Floats on water. Adsorbs to soil and has low mobility.
Persistence/degradability:	Inherently biodegradable. Oxidises rapidly by photo-chemical reactions in air.
Bioaccumulation:	Has the potential to bioaccumulate. Product is expected to biodegrade.
Section 13 – DISPOSAL CO	NSIDERATIONS
Material Disposal:	Product wastes may be ecotoxic and should be disposed of in accordance with applicable regulations. Do not dispose into the environment, in drains or in water courses. Waste product should not be allowed to contaminate soil or water.
	Large quantities should be degassed by an aerosol recycler. Do not dispose of large quantities of pressurised aerosols in landfills. Incineration by an authorised company is suggested.
Container Disposal:	Recycle empty container if possible. Product containers are also considered wastes of the same class of the contents and should be disposed of in accordance with applicable regulations.
Section 14 – TRANSPORT I	INFORMATION
Transport:	Classified as a Dangerous Good for transport purposes.
	Class 2.1 should not be loaded on the same vehicle as Classes 1, 3 (where both are in bulk), 4, 5, and 7. They may be loaded with Classes 3, 6, 8, 9, foodstuffs and foodstuff empties.
Proper Shipping Name:	Aerosols
UN Number:	1950
Dangerous Goods Class:	2.1
Subsidiary Risk:	Not applicable
Packing Group:	Not applicable
Marine Pollutant:	Yes

Central nervous system: repeated exposure affects the nervous system. May cause damage to

Section 15 – REGULATORY INFORMATION

HSNO Approval Number: HSR000264 Flammable aerosol containing 0.5 g/litre d-phenothrin, 1.0 g/litre permethrin and 2.9 g/litre tetramethrin

Section 16 – OTHER INFORMATION

This MSDS summarises our best knowledge of the health and safety hazard information. Since we cannot control the conditions under which the product may be used, each user must review this MSDS in the context of how the user intends to use the product.

End of msds.