

# SAFETY DATA SHEET BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

Product number PF016

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Ready for use Rodenticide containing 50ppm Brodifacoum.

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier PelGar International Ltd

PO Box 11825

Ellerslie, Auckland 152

+6421670105

gerwyn@pelgar.co.uk

Manufacturer PelGar International Ltd

Unit 13

Newman Lane

Alton Hampshire GU34 2QR United Kingdom

Telephone: +44(0)1420 80744 E-mail: garry@pelgar.co.uk

1.4. Emergency telephone number

**Emergency telephone** +44(0)1420 80744

National emergency telephone New Zealand +64 21 670 105

number

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

## Supplemental label information

EUH 208 Contains 1, 2- Benzisothiazolin-3-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

P102 Keep out of reach of children.

P103 Read label before use.

P220 Keep / Store away from foodstuffs, beverages and animal feeding stuffs.

P262 Do not get on skin.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves [Professional users].

P273 Avoid release to the environment.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P404 Store in a closed container.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

#### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## 1,2-BENZISOTHIAZOL-3(2H)-ONE

<0.02%

CAS number: 2634-33-5 EC number: 220-120-9

M factor (Acute) = 10

#### Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400

2,2'-Iminodiethanol <0.1%

CAS number: 111-42-2 EC number: 203-868-0

#### Classification

Eye Dam. 1 - H318 STOT RE 2 - H373

BRODIFACOUM 0.005%

#### Classification

Acute Tox. 1 - H300 Acute Tox. 1 - H310 STOT RE 1 - H372 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

 Denatonium Benzoate
 0.001%

 CAS number: 3734-33-6
 EC number: 223-095-2

 Classification

 Acute Tox. 4 - H302

 Acute Tox. 4 - H332

 Skin Irrit. 2 - H315

 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

Aquatic Chronic 3 - H412

#### 4.1. Description of first aid measures

General information Advice for Medical Doctors: Brodifacoum is an indirect anti-coagulant. Phytomenadione,

Vitamin K, is antidotal. Determin prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation

occurs in that time.

**Inhalation** No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any

discomfort continues.

**Ingestion** No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Rinse mouth. Get medical attention if any discomfort continues.

**Skin contact** No specific recommendations. Rinse with water. Get medical attention if any discomfort

continues.

**Eye contact** Rinse with water. Get medical attention if any discomfort continues.

**Protection of first aiders**Use protective equipment appropriate for surrounding materials.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** No specific symptoms known.

Ingestion Rinse mouth. Do not induce vomiting. Call a medical doctor immediately.

**Skin contact** Prolonged contact may cause dryness of the skin. May cause irritation.

**Eye contact** No specific symptoms known. May be slightly irritating to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments See 'General information' in section 4.1 of this Safety Data Sheet.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media This product is combustible. It contains paraffin wax which will give off flammable vapours if

heated. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use

fire-extinguishing media suitable for the surrounding fire.

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**No specific recommendations. For personal protection, see Section 8.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Reuse or recycle products wherever possible. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs.

Keep container tightly sealed when not in use.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions No specific recommendations.

**Storage class** Unspecified storage.

#### 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

## Occupational exposure limits

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

Sugar (Sucrose) WEL 8-Hr limit mg/M3: 10 WEL 15 min limit mg/M3: 20 Propane-1,2-diol (Propane-1,2-diol Particulates) WEL 8-Hr limit mg/M3: 10

Propane-1,2-diol (Propane-1,2-diol total vapour and particulates) WEL 8-Hr limit ppm: 150

WEL 8Hr limit mg/M3: 474

Paraffin Wax WEL 8-Hr limit mg/M3: 2 WEL 15 min limit mg/M3: 6

Paraffin Wax (Paraffin wax fume) WEL 8-Hr limit mg/M3: 2

WEL 15 min limit mg/M3: 6

Distillates (Petroleum) TWA

(Non-Aerosol)

8.2. Exposure controls

Appropriate engineering

controls

No specific ventilation requirements.

**Eye/face protection** No specific eye protection required during normal use. Large Spillages: Eyewear complying

with an approved standard should be worn if a risk assessment indicates eye contact is

possible.

Hand protection No specific hand protection recommended. Large Spillages: Wear protective gloves.

Hygiene measures Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is

inadequate, suitable respiratory protection must be worn.

**Environmental exposure** 

controls

Not regarded as dangerous for the environment.

#### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Appearance Wax Block.

Colour Blue
Odour Slight.

Odour threshold No information available.

**pH** No information available.

Melting point approx. 60 Deg C (for the wax).

Initial boiling point and range No information available.

Flash point No information available.

Evaporation rate

No information available.

Evaporation factor

No information available.

Flammability (solid, gas) combustible

Upper/lower flammability or

explosive limits

No information available.

Other flammability

No information available.

Vapour pressure

No information available.

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

Vapour density No information available.

Relative density 1.17

Bulk density

No information available.

Solubility(ies)

Immiscible with water.

Partition coefficient No information available.

Auto-ignition temperature No information available.

**Decomposition Temperature** No information available.

Viscosity No information available.

**Explosive properties** No information available.

Explosive under the influence

of a flame

No information available.

Oxidising properties Does not meet the criteria for classification as oxidising.

#### 9.2. Other information

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects** Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

Notes (inhalation LC<sub>50</sub>)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

**IARC carcinogenicity**None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

**Aspiration hazard** 

Aspiration hazard Not relevant. Solid.

General information No specific health hazards known. The severity of the symptoms described will vary

dependent on the concentration and the length of exposure.

**Inhalation** No specific symptoms known.

**Ingestion** Ingestion of large amounts may be Harmful.

**Skin contact** Prolonged contact may cause dryness of the skin.

**Eye contact** No specific symptoms known. May be slightly irritating to eyes.

Route of entry Ingestion Inhalation Skin and/or eye contact

**Target organs** No specific target organs known.

**Toxicity of ingredients** Brodifacoum Oral (Rat) LD50 = 0.27 mg/kg Dermal (Rat) LD50 = 7.48 mg/kg Denatonium

Benzoate Oral (Rat) LD50 = 584 mg/kg

**SECTION 12: Ecological Information** 

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment. Toxic to mammals, including domesticated animals,

and birds if ingested. Exposure to non-target animals should be prevented.

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

#### 12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

#### 12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

**Mobility** No data available.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

Other adverse effects None known.

Toxicity of ingredients Brodifacoum Daphnia EC50/48Hr = 0.25 mg/l Rainbow trout LC50/96Hr = 0.042 mg/l

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe

way.

**Disposal methods** Dispose of in accordance with applicable regional, national, and local laws and regulations.

Dispose of Contaminated packaging as unused product unless fully cleaned. The European

waste disposal key number from EWC is 20 01 19 (Pesticides).

## SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## BRIGAND RODENTICIDE BLOCKS (NZ ACVM Approval No: V009591)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

Revision date 15/11/2016

Revision 4

Supersedes date 15/11/2016

SDS number 20749

**Hazard statements in full** H300 Fatal if swallowed.

H302 Harmful if swallowed. H310 Fatal in contact with skin. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H372 Causes damage to organs (Blood) through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.